


**S2**  
**MIN**

# FRAME SIZE LIMITS

Single | Double

centor®





| Sill (mm) | Frame Height (mm) (FH) | Frame Width (mm) (FW) |            |            |
|-----------|------------------------|-----------------------|------------|------------|
| 19        | 756 - 2300             | 720 - 1315            | 675 - 1270 | 720 - 2490 |
| 25        | 763 - 2300             | 720 - 2003            | 675 - 1958 | 720 - 3866 |

**S2**  
**MIN**

# FRAME SIZE LIMITS

centor®

Jambless

|                       | Configuration   | Sill (mm) | Frame Height (mm) (FH) | Frame Width (mm) (FW) | Screen Stop Position (SSP) |
|-----------------------|---|-----------|------------------------|-----------------------|----------------------------|
| Jambless (Full width) |    | 25        | 763 - 2300             | 653 - 3933            | 1863                       |
| Jambless (Custom)     |  | 25        | 763 - 2300             | 653 - 3933            | 1863                       |

**S2**  
**MIN**

# FRAME SIZE LIMITS

XO or OX

centor®

|                      | Configuration | Sill (mm) | Frame Height (mm) (FH) | Frame Width (mm) (FW) | Screen Stop Position (SSP) |
|----------------------|---------------|-----------|------------------------|-----------------------|----------------------------|
| XO or OX - 25mm Jamb |               | 19        | 756 - 2300             | 675 - 2505            | 1205                       |
|                      |               | 25        | 763 - 2300             | 675 - 3955            | 1863                       |
| XO or OX - 70mm Jamb |               | 19        | 756 - 2300             | 720 - 2550            | 1205                       |
|                      |               | 25        | 763 - 2300             | 720 - 4000            | 1863                       |