


S2

Imperial

FRAME SIZE LIMITS

Single | Double

centor®



Sill (mm)	Frame Height (in) (FH)	Frame Width (in) (FW)		
3/4"	29-13/16" - 78-11/16"	26-7/16" - 53-7/8"	24-5/8" - 52-15/16"	26-7/16" - 100-3/8"
	78-3/4" - 125-15/16"	31-1/8" - 53-7/8"	29-3/8" - 52-15/16"	31-1/8" - 100-3/8"
1"	30-1/16" - 78-11/16"	26-7/16" - 81-7/16"	24-5/8" - 79-11/16"	26-7/16" - 157-7/16"
	78-3/4" - 125-15/16"	31-1/8" - 81-7/16"	29-3/8" - 79-11/16"	31-1/8" - 157-7/16"
	126-0" - 145-5/8"	33-1/2" - 52-15/16"	31-3/4" - 51-1/8"	33-1/2" - 100-3/8"
	145-11/16" - 157-7/16"	33-1/2" - 40-1/8"	31-3/4" - 38-3/8"	33-1/2" - 74-3/4"


S2

Metric

FRAME SIZE LIMITS

Single | Double

centor®



Sill (mm)	Frame Height (mm) (FH)	Frame Width (mm) (FW)		
19	756 - 2000	670 - 1370	625 - 1345	670 - 2550
	2001 - 3200	790 - 1370	745 - 1345	790 - 2550
25	763 - 2000	670 - 2070	625 - 2025	670 - 4000
	2001 - 3200	790 - 2070	745 - 2025	790 - 4000
	3201 - 3700	850 - 1345	805 - 1300	850 - 2550
	3701 - 4000	850 - 1020	805 - 975	850 - 1900



S2

Imperial

FRAME SIZE LIMITS

Jambless

centor®

	Configuration	Sill (in)	Frame Height (in) (FH)	Frame Width (in) (FW)	Screen Stop Position (SSP)
Jambless (Full width)		1"	30-1/16" - 78-3/4"	23-3/4" - 79-5/16"	N/A
			78-13/16" - 126-0"	25-3/4" - 79-5/16"	
			126-1/16" - 145-11/16"	30-7/8" - 50-3/4"	
			145-3/4" - 157-1/2"	30-7/8" - 38-0"	
Jambless (Custom)		1"	30-1/16" - 78-3/4"	23-3/4" - 154-7/8"	11 13/16" - 76-0"
			78-13/16" - 126-0"	25-3/4" - 154-7/8"	11 13/16" - 76-0"
			126-1/16" - 145-11/16"	30-7/8" - 154-7/8"	11 13/16" - 47-1/2"
			145-3/4" - 157-1/2"	30-7/8" - 154-7/8"	11 13/16" - 34-11/16"



S2

Metric

FRAME SIZE LIMITS

Jambless

centor®

	Configuration	Sill (mm)	Frame Height (mm) (FH)	Frame Width (mm) (FW)	Screen Stop Position (SSP)
Jambless (Full width)		25	763 - 2000	603 - 2014	N/A
			2001 - 3200	653 - 2014	
			3201 - 3700	783 - 1289	
			3701 - 4000	783 - 964	
Jambless (Custom)		25	763 - 2000	603 - 3933	300 - 1930
			2001 - 3200	653 - 3933	300 - 1930
			3201 - 3700	723 - 3933	300 - 1205
			3701 - 4000	783 - 3933	300 - 880



S2

Imperial

FRAME SIZE LIMITS

XO or OX

centor®

	Configuration	Sill (in)	Frame Height (in) (FH)	Frame Width (in) (FW)	Screen Stop Position (SSP)
XO or OX - 1" Jamb		3/4"	29-13/16" - 78-3/4"	24-5/8" - 98-5/8"	11 13/16" - 76-0"
			78-13/16" - 126-0"	29-3/8" - 98-5/8"	11 13/16" - 76-0"
		1"	30-1/16" - 78-3/4"	24-5/8" - 155-3/4"	11 13/16" - 76-0"
			78-13/16" - 126-0"	29-3/8" - 155-3/4"	11 13/16" - 76-0"
			126-1/16" - 145-11/16"	31-3/4" - 155-3/4"	11 13/16" - 47-1/2"
			145-3/4" - 157-1/2"	31-3/4" - 155-3/4"	11 13/16" - 34-11/16"
XO or OX - 2-3/4" Jamb		3/4"	29-13/16" - 78-3/4"	26-7/16" - 100-7/16"	11 13/16" - 76-0"
			78-13/16" - 126-0"	31-1/8" - 100-7/16"	11 13/16" - 76-0"
		1"	30-1/16" - 78-3/4"	26-7/16" - 157-1/2"	11 13/16" - 76-0"
			78-13/16" - 126-0"	31-1/8" - 157-1/2"	11 13/16" - 76-0"
			126-1/16" - 145-11/16"	33-1/2" - 157-1/2"	11 13/16" - 47-1/2"
			145-3/4" - 157-1/2"	33-1/2" - 157-1/2"	11 13/16" - 34-11/16"



S2

Metric

FRAME SIZE LIMITS

XO or OX

centor®

	Configuration	Sill (mm)	Frame Height (mm) (FH)	Frame Width (mm) (FW)	Screen Stop Position (SSP)
XO or OX - 25mm Jamb		19	756 - 2000	625 - 2505	1930
			2001 - 3200	745 - 2505	1930
		25	763 - 2000	625 - 3955	1930
			2001 - 3200	745 - 3955	1930
			3201 - 3700	805 - 3955	1205
			3701 - 4000	805 - 3955	880
XO or OX - 70mm Jamb		19	756 - 2000	670 - 2550	1930
			2001 - 3200	790 - 2550	1930
		25	763 - 2000	670 - 4000	1930
			2001 - 3200	790 - 4000	1930
			3201 - 3700	850 - 4000	1205
			3701 - 4000	850 - 4000	880